## **ASSIGNED**

Nº 48838

## AMENDED APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office				
			Мар	filed APR 1 1985
				The applicant Peter and Kay Echeverria
	• • • • • • • • • • • • • • • • • • •			
	491 Court Street , of Reno City or Town  Nevada 89501			
	Nevada 89501 , hereby makes: application for permission to appropriate the public State and Zip Code No.			
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-			
tion	; if a copartnership or association, give names of members.)			
1.	The source of the proposed appropriation is. Harold Spring  Name of stream, lake, spring, underground or other source			
2.	The amount of water applied for issecond-feet			
	One second-foot equals 448.83 gals. per min.  (a) If stored in reservoir give number of acre-feet			
3.	The water to be used for Quasi-Municipal and Domestic  Urrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.			
	Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.  If use is for:			
	(a) Irrigation, state number of acres to be irrigated			
	(b) Stockwater, state number and kinds of animals to be watered.			
	(c) Other use (describe fully under "No. 12. Remarks" Quasi-Municipal and Domestic			
	(d) Power:			
	(1) Horsepower developed			
	(2) Point of return of water to stream			
5.	The water is to be diverted from its source at the following point SE <sup>1</sup> NE <sup>1</sup> Section 12, T20N,  Describe as being within a 40-acre subdivision of public			
	Describe as being within a 40-acre subdivision of public R18E, MDM., or at a point from which the NE corner of said Section survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.			
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  12 bears N 20° 00' 00'' E, a distance of 1,725 feet.			
6.	Place of use NaNWa. NEt and St of Section 12, T20N, R18E, MDM.			
	Describe by legal subdivision. If on unsurveyed Jand, it should be so stated.			
7.	Use will begin about January 1 and end about December 31, of each year.  Month and Day Month and Day			
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and			
	specifications of your diversion or storage works.) Developed spring by perforated  State manner in which water is to be diverted, i.e. diversion structure, ditches and			
	pipe to treatment facility.  flumes, drilled well with pump and motor, etc.			
9.	Estimated cost of works. At least \$1,000			

10.	Estimated time required to construct works 2 years  If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use 5 years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	Quasi-municipal and domestic use of spring water to be treated
	bottled and sold and for other water related services. The
	amount of water to be appropriated will depend on the capacity
	of the spring.
	By S/Peter Echeverria 491 Court Street Reno, Nevada 89501
Con	npared mc/jf Reno, Nevada 89501
Prot	tested
	DENIAL OF STATE ENGINEER
	bak ak kokakakakaka kak kakak kukakakakakakakakak
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not	to exceedcubic feet per second
	rk must be prosecuted with reasonable diligence and be completed on or before
Proc	of of completion of work shall be filed on or before
App	olication of water to beneficial use shall be made on or before
Proc	of of the application of water to beneficial use shall be filed on or before
	o in support of proof of beneficial use shall be filed on or before
	upletion of work filed
	State Engineer of Nevada, have hereunto set my hand and the seal of of beneficial use filed.
	my office, this 7th day of October
	A.D.XXX 2003.
Certi	ificate No